



PM2000T, 10-Inch Table Saw with ArmorGlide, 30-Inch Rip, Extension Table, 5HP, 1Ph 230V

Product Images



Short Description

Additional Information

Stock Number	PM1-PM25130KT
Arbor Diameter (In.)	5/8
Arbor Speed (RPM)	4500
Blade Diameter (In.)	10
Dust Collection Minimum CFM Required (CFM)	400
Dust Port Outside Diameter (In.)	4
Maximum Depth of Cut at 45 Degrees (In.)	2-1/8
Maximum Depth of Cut (In.)	2-1/8 or 3-1/8
Maximum Diameter of Dado (In.)	8
Maximum Rip Left of Blade (In.)	13-1/2
Maximum Rip Right of Blade (In.)	30
Maximum Width of Dado (In.)	13/16
Miter Gauge Type	T-Slot with Stops
Model Number	PM2000T
Motor Amps	4.8
Motor Phase	1
Motor Power (HP)	5
Motor Voltage (V.)	230
Overall Dimensions (L x W x H) (In.)	66-3/4 x 39-1/8 x 40-3/8
Prewired Voltage (V.)	230
Prop 65	Cancer and Reproductive Harm
Recommended Circuit Size (Amps.)	30
Style (Type)	Cabinet
Table Height from Floor (In.)	35

Table Size (L x W) (In.)	30-1/2 x 22
Table Type	Cast Iron
Warranty	5 Year
Gross Weight	718.4
Net weight	643.8

